


PLAT OF LAND SURVEY FOR and/or CERTIFIED TO: AT&T
PARCEL ID No: 13-22-29-5132-15-001
SITE LOCATION: N. MILLS AVENUE, E. ROLLINS STREET & LAKE SHORE DRIVE
LYING IN SECTION 13, TOWNSHIP 22 SOUTH, RANGE 29 EAST.


DESCRIPTION AS FOLLOWS:

A 5 FOOT CABLE EASEMENT LYING IN PARCEL OF LAND
LOCATED IN SECTION 13, TOWNSHIP 22 SOUTH, RANGE 29
EAST, ORANGE COUNTY, FLORIDA AND BEING MORE
PARTICULARLY DESCRIBED AS FOLLOWS:
COMMENCE AT THE INTERSECTION OF THE SOUTH
RIGHT-OF-WAY LINE OF E. ROLLINS STREET AND THE
WEST RIGHT-OF-WAY LINE OF N. MILLS AVENUE AND
THENCE RUN S 00°57'00" W, ALONG SAID WEST
RIGHT-OF-WAY LINE, A DISTANCE OF 162.45 FEET TO THE
POINT OF BEGINNING. THENCE CONTINUE S 00°57'00" W,
ALONG SAID WEST RIGHT-OF-WAY LINE, A DISTANCE OF
5.00 FEET. THENCE RUN N 89°03'00" W, A DISTANCE OF
24.36 FEET. THENCE RUN N 00°36'19" E, A DISTANCE
OF 100.07 FEET. THENCE RUN S 89°23'41" E, A
DISTANCE OF 5.00 FEET. THENCE RUN S 00°36'19" W, A
DISTANCE OF 95.10 FEET. THENCE RUN S 89°03'00" E, A
DISTANCE OF 19.39 FEET TO THE POINT OF BEGINNING.



L-1: S 00°57'00" W, 5.00
L-2: N 89°03'00" W, 24.36
L-3: S 89°23'41" E, 5.00
L-4: S 89°03'00" E, 19.39

WALKER LAND SURVEYING, INC.



- NOTES
1. THE UNDERSIGNED DOES HEREBY CERTIFY THAT THIS SURVEY MEETS THE MINIMUM TECHNICAL STANDARDS FOR A PROFESSIONAL SURVEYOR AS SET FORTH IN CHAPTER 472-027, FLORIDA STATUTES.
 2. UNLESS SIGNED AND EMBOSSED WITH SURVEYOR'S SEAL, THIS SURVEY IS NOT VALID.
 3. THIS SURVEY WAS PREPARED FROM TITLE INFORMATION FURNISHED TO THE SURVEYOR. THERE MAY BE OTHER RESTRICTIONS OR EASEMENTS THAT AFFECT THIS PROPERTY.
 4. NO UNDERGROUND IMPROVEMENTS HAVE BEEN LOCATED UNLESS OTHERWISE SHOWN.
 5. THIS SURVEY IS PREPARED FOR THE SOLE BENEFIT OF THOSE CERTIFIED TO AND SHOULD NOT BE RELIED UPON BY ANY OTHER ENTITY.
 6. ELEVATIONS, IF SHOWN, ARE BASED ON NATIONAL GEODETIC VERTICAL DATUM OF 1929, UNLESS OTHERWISE NOTED.
 7. ELEVATIONS, IF SHOWN, ARE BASED ON NATIONAL GEODETIC VERTICAL DATUM OF 1929, UNLESS OTHERWISE NOTED.
 8. BEARINGS BASED ON THE WEST R/W LINE OF N. MILLS AVENUE.
 9. MEASUREMENTS SHOWN ARE BASED ON THE STANDARD U.S. SURVEY FOOT.
 10. BEARINGS AND DISTANCES ARE PLAT AND MEASURED UNLESS OTHERWISE SHOWN.
 11. ADDITIONS OR DELETIONS TO THIS SURVEY IS PROHIBITED WITHOUT CONSENT FROM SIGNING SURVEYOR.

BREVARD COUNTY OFFICE
4125 S. U.S. 1
ROCKLEDGE, FL 32955
321-636-1055
321-636-1404 (FAX)
LB 6710

LEGEND

- P.T. = POINT OF TANGENCY
B.B. = BENCH MARK
A/C = AIR CONDITIONER
R = RADIUS
CH = CHORD
CB = CHORD BEARING
TYP. = TYPICAL
R/W = RIGHT-OF-WAY
N.R. = NON-RADIAL
W.P. = WITNESS POINT
S/W = SIDEWALK
D.H. = DRILLHOLE
EL. = ELEVATION
P.U. & D.E. = PUBLIC UTILITIES & DRAINAGE EASEMENT
- PLAT
FIELD PIPE
IRON ROD
CONCRETE MONUMENT
RECOVERED
POINT OF BEGINNING
CONCRETE MONUMENT
COVERED CONCRETE
NAIL & DISC
DRAINAGE
UTILITY
CONCRETE CURB
POINT OF CURVATURE
CONCRETE MONUMENT
P.U. & D.E.

CERTIFIED BY:
JOHN W. WALKER, R.L.S. NO. 5362

R.L.S. NO. 5362

FIELD DATE
BOUNDARY 11-10-13

ORDER NO.
50002

DRAWN BY: Z.A.B.

CHECKED BY: