

February 10, 2015

Mark Gregory, District Chief City of Orlando Fire Department Staff and Line 1010 S. Westmoreland Drive Orlando, FL 32805

RE: Proposal – 2015 Ambulances – Dodge Ram 4500

Wheeled Coach Industries is pleased to submit this budget pricing offer to the City of Orlando Fire Department to purchase off of the Florida Sheriffs Association Bid # 15-11-0116, Specification # 1, Type 1 Ambulance, and with changes as specified in the attached line sheet specifications, for the following ambulance proposals:

2015 F Dodge Ram 4500,4x2,SLT, 6.7L 168.5" WB chassis with Wheeled Coach Industries Firemedic 1153D custom ambulance conversion

\$210,995.00, FOB Orlando, FL. (each).

Extended Price:

\$210,995.00

AeroClave RDS3110 Rom Decontamination System with #APA Portable Applicator & Hand Sprayer with 25' hose.

\$18,600.00, FOB Orlando, FL. (each).

Extended Price:

\$18,600.00

Proposed unit(s) will be completed within 100 calendar days after receipt of chassis. Proposal price includes FSA fees. Payment terms proposed are net due upon delivery.

We appreciate the opportunity to submit this proposal and compete for your valued business. Should you have any questions, or wish to review this proposal in detail, please feel free to contact me at 407-782-4120.

Corporate Office: 2737 North Forsyth Road, Winter Park, FL 32792 / Post Office Box 677339, Orlando, FL 32867-7339 800-342-0720 • (407) 677-7777 • Fax: 407-679-1337 • http://www.whoeledcoach.com



Sincerely,

Bill McCorkle
District Sales Manager, Wheeled Coach Industries
407-782-4120 (cell)
800-513-8198 (fax)
Bill.mccorkle@wheeledcoach.com



QUOTATION

Orlando Fire Department Mark Gregory 78 West Central Blvd Orlando, FL 32805

Wheeled Coach Industries, Inc. Bill McCorkle

Quote No:

14021-0007

T1 - 153:

210156 STD

T1 - 153:

0990044STD

Model: Type 1 Dodge -153" Module, #1153D

Dodge,4500,4x2,SLT,6.7L,153",#1153D

T1 - 153:

200007 STD

Type 1 Dodge-153" Module - #1153D

WO#: Page 1 **PART NO** DESCRIPTION QTY == Dodge,4500,4x2,SLT,6.7L,153",#1153D - 618.080 06/18/08 = CHASSIS: Dodge 2015 Ram 4500,4x2,SLT, 6.7L 168.5 WB, #1153D 2015-3 00-10-8358 Price includes air suspension installed by WC. 153x95 CSB Autothrottle OEM Alternator OEM Cab seats OEM Captains chairs Black rubber floor mat, std on '09+ **CAB TO MODULE MOUNTING:** 10-10-5000 Bellows, Passthru, Unigrip, D1, Std **CHASSIS ADD-ONS:** 1A-10-0100 Lettering, By Outside Vendor 24/Seven Unit also gets a rear chevron, charge for chevron is on the recap. Pictures on the server for reference. 1A-10-0150 Front End Alignment, By Outside Vendor SUSPENSION: 1 Rear Suspension - Liquid Spring- B4500/5500 4x2 ILOS 1F-30-7560 ALTERNATOR(S): 1 1K-40-3505 Alternator, OEM 1 dual OEM 220amp alternators THROTTLE CONTROLS: 1P-50-5100 High Idle Controls, OEM 1 **CHASSIS ADD ONS, MISC** Electronic Tire pressure monitor system 2F-00-02SR (SO-TIRE-331034) #213254R-1 Electronic Tire Pressure Monitor 360HD6 with #3623 Remote Antenna Kit with display mounted on CC panel set up per Elec Eng. 2F-70-4300 Seats, Cab, Reupholster, Gunmtl Gray, O/Vendor Charcoal Katzkin seat covers by Darryl & Mr Bs **HEATING/AIR CONDITIONING:** 5U-12-5000 Hoses, Heater, No Max, to Rear, STD 5U-70-0567 Heat/AC, D1, Pureair 2, w/Coolbar

| PART NO | WO#: DESCRIPTION | Page 3 |
|--|---|-------------|
| | Install anti-slip decal with Wheeled Coach logo on curbside and rear stainless steel thresholds, STD | |
| 35-10-0320 35-10-0501 37-00-0350 | Module Skins, 0.125 inch Headroom, 72 in. Type 1 - 153" module, #1153F/D/C Coating, Scorpion X02, Per Compt, (1), Std Dark gray same as customer's last unit 311071 | 1 1 6 |
| 37-00-0360 | Coating, Scorpion, Rear Bumper Supports Black | 1 |
| 37-00-0500 | Compartments, Std, Floor 3" Drop Down from Door Opening - Compartments B1, B2, D, & E are Standard drop down floor | 4 |
| 37-00-0600 | Compartments, Sweepout - Compartments "A" & "F" are standard sweep out | 2 |
| 37-00-0710 | Duraseam Doors, with Hidden Jambs - Magnetic door switches, Standard | 1 |
| 37-A0-0173 | A, Compt, Single Door, Pureair, 153" Module, 72" HR, T1 - with single door | 1 |
| 37-B1-0126 | B1, Compt, Std, 153" Module , T1, 72"HR, #1153F/D/C only - with single door | 1 |
| 37-B2-0173 | B2, Compt, Std, 153" Module, T1, 72"H.R with single door | 1 |
| 37-D0-0351 | D, Compt, 3/4, 153" Module, T1, 72" H.R, #1153F/D/C only - with Double doors | 1 |
| 37-E0-0101 | E, Compt, Std, 153" Module, T1, #1153F/D/C only - with single door | 1 |
| 37-F0-0273 | F, Compt, Full Height, 153" Module,T1,72" HR,#1153F/D/C only - with single door | 1 |
| 37-F0-0600 | With Dogleg for Stairchair in Compt "F" | 1 |
| | Must fit Stryker 6250 (20.5" wide with a folded depth of 8") | |
| 3A-10-1000 | FUEL FILL HOUSING: Housing, Fuel Fill, Cast, F1/C1/D1/M2 | 1 |
| 3F-10-1103 | EXTERIOR DIVIDERS: Divider, Vertical, B2, 3/16" Thick, Std Model only compt "B2", centered, fixed see compt shelf also! | 1 |
| 3F-20-1000 | SHELF- COMPARTMENT "A"/RF CABINET: Shelf, Adjustable,(1), RF Cabt Custom 3/16 - (1) RF Compartment "A"/Cabinet "E1" | 1 1 |
| 3F-20-1500 | Shelf, Additional, Adjustable, (1), RF Cab Custom 3/16 - (1) RF Compartment "A"/Cabinet "E2" | 1 |

- in rear kickplate, centered.

Holder, License Plate, Cast, C30002, STD

55-10-3000

| PART NO | WO#: DESCRIPTION | Page 6 |
|------------|---|--------|
| 55-30-4001 | SILL PROTECTORS Sill Protectors, Stainless, All Compts, Std Model only | 1 1 |
| 55-90-4000 | MODULE STEPWELL: Step, Electric, Kwikee Products | 1 1 |
| <u> </u> | Constant hot, locate under C/S access door. | |
| | No over ride switch | |
| 5A-10-1001 | MUD FLAPS: Mud Flaps, Rear, W/Logo, Std Model only | 1 1 |
| 5A-10-3000 | Mud Flaps, Front PAINT/BELTS: | 1 1 |
| | Paint cool bar red to match unit. Unit gets a rear chevron, charge for chevron is on the recap. Pictures on the server for reference. | |
| 5F-10-3200 | Paint, Entire Unit, 20% Upch See ref picture on server in wo folder Red Colormap #405C4 2nd color: Gloss Black FLNA 4123 Hood & lower part of cab to be red Module driprail to be black Module roof to be black Front of module to be red Back of cab to be black Paint underside of front wheelwells black. Cab A Post, B Post & door to be black above body break Paint cool bar red to match unit. | 1 |
| 5F-10-3600 | Paint, Multi-Color, Labor Charge | 1 |
| 5K-10-5100 | PINSTRIPE: - PER ROLL Pinstripe, Black, Non-Reflective, 1/4 In - cab paint break | 1 1 |
| 5P-10-5001 | DECAL PACKAGES INSTALLED: Roof Star, White Border, Installed, Std Model Only ELECTRICAL SYSTEM: Circuitboard Engineering reference only 311071this new unit gets a cool bar. | 1 1 1 |
| 61-23-SR01 | Newmar StartGuard DC Power Conditioner (SO-COND-331034) #213254R-1 Newmar StartGuard Part #NS-12-20 Mount in CB area Input power constant hot, 12 gauge wire Route 20 amp positive and negative output leads to CC & tag: NEWMAR STARTGUARD 12 gauge wire Customer will connect their Panasonic Tough book to these leads | 1 |
| 65-10-0001 | COAX CABLES/ANTENNAS: Customer supplied GPS Antenna (SO-GPS-331034) SR214894F Customer supplied part, terminate in the Cab console. | 1 1 |
| 65-30-6500 | Base- Antenna, Motorola Mount, W/Coax (1) From mod roof port #1 to bottom of CB with 6' pigtails (1) From mod roof port #2 to bottom of CB with 6' pigtails (1) From mod roof port #3 to AA with 6' pigtails | 3 |
| | | |

| DART NO | WO#: | Page 8 |
|---------------------------|---|--------|
| PART NO 7F-10-0610 | DESCRIPTION Indicator, Vanner Charger, Remote, #LSCR, LED | QTY |
| | Next to SL inlet | |
| 7F-10-9000 | Inverter/Charger, Vanner 20-1050CUL-DC | 1 |
| | In EVS seat base | |
| | GAUGES/METERS: | 1 |
| D0-10-6500 | Alarm, Low Voltage, Audio/Visual Light in cab console and Buzzer in cab. | 1 |
| D0-10-7000 | Voltmeter, OEM, In Dash | 1 |
| DA-10-4000 | SEQUENCING/LOAD MANAGEMENT: Switch, Emergency Master,Non Seq | 1 1 |
| DF-10-1262 | SIREN SPEAKERS: Siren Speakers, Dodge Ram SLT, 2011+ | 1 |
| | Thru Front Bumper | ' |
| | SIRENS: | 1 |
| DK-10-1400 | Siren, Whelen, WS-295-SLSA1, Standard AIR HORNS: | 1 1 |
| DP-10-0001 | Brackets, Airhorn Under Bumper, Dodge T1 (SO-AHB-311072) | i |
| | Under front bumper per Eng design. | |
| DP-10-9101 | Airhorn, Buell, 5440, 10 & 12 inch Special (SO-AH-331034)Ref (SO-AH-291120) | 1 |
| | air horns under front bumper. Compressor located on frame rail in a small compressor box next to air horn air tank. | |
| DP-11-1000 | SWITCHING OPTIONS FOR AIR HORNS & SIRENS: Switch, Siren/Horn Thru Horn Ring | 1 1 |
| DP-11-2500 | Switches, Foot (2),(1) Dr Side,(1) Pass | 1 |
| | For aihorns, emergency master switch hot | |
| DU-10-2500 | SWITCHES ADDITIONAL: Switch, 12VDC, Rocker, Amber, Additional | 1 2 |
| | (1) IATS Flood light, label Left Flood | |
| | (1) IATS Flood light, label Right Flood | |
| | AUDIBLE ALARMS: | |
| F0-11-1500 | Alarm, Back-up, No Cutoff Switch | 1 |
| FF-10-6001 | VEHICLE EXTERIOR LIGHTING Cab Headliner Removal Fee, Type 1/3 for trimble GPS antenna cab roof installation | 1 |
| FU-35-SR01 | (GTT) #794H Opti-Com with mount bracket. (SO-OPTI-331034) SR#SR# 213348 LED High Priority | 1 |
| | Front of module below 9 Series warning light, driver's side. | |
| | SWITCHED: Sep switch, Primary only and in gear | |
| | | |

| | WO#: | Page 10 |
|--------------------------|--|---------|
| PART NO | DESCRIPTION | QTY |
| HF-11-6049 | CORNER CAP LIGHTS Corner Cap Lts,Multi-LED,(2)Amber(2)Red w/Flashers,Std Model - High intensity flashers; Prim/Secon, no switch. | 1 |
| | CLEARANCE LIGHTS: | |
| HF-12-9601 | Light, Clearance, Red LED, Std Model only - On rear as clearance lights. | 3 |
| | SCENE AND LOAD LIGHTS | 4 |
| HK-20-110E | Light, Halogen, Whelen, 9H, Clear, 8-32 Deg, STD, (1) - (2) each side as scene lights | 4 |
| HK-20-130E | Light, Halogen, Whelen, 9H, Clear, 8-32 Deg, STD, (1) - (2) on rear as load lights | 2 |
| HK-20-7400 | Rear Scene Lts Activate W/Rev Gear Rear load lights wired to reverse standard. | 1 |
| HK-20-7500 | CS Scene Lts Activate W/C/S Door | 1 |
| HK-30-SR01 | Light, PFP2 Dual panel LED Floodlight, IATS (SO-FLOOD-331034) Ref (SO-FLOOD-309042)SR214254R-1(2ea-AS99863 & 2ea-AS99805) Whelen #PFP2 with #PBA203 | 2 |
| | one each side, centered, as flood lights Switch as Right Flood, Left Flood | |
| | WARNING LIGHT FLASHERS | 1 |
| HU-24-7500 | Flasher, Whelen AFM-560, ILOS Set flash pattern to Comet Flash | 1 |
| | HARNESS LAYOUT: | 1 |
| J5-12-0000 | Halogen, " E " Spec, Vanner STOP/TURN/TAIL LIGHTS: | 1 |
| JA-10-1200 | Light, License Tag, (2), Trucklite #15205 LED, ILOS | 1 |
| JA-13-8010 JA-23-0400 | Tailights, Whelen,LED Stop/Tail,Halogen/Backup, w/ WC logo Lights, Ground Effect, Trucklite 4" LED, Model #44042C (6) Reference 311071 | 1 1 |
| | (2)To illuminate R/Boards on cab, activated by cab doors, **constant hot** | |
| | (1)To go under compt A to angled down & to the side, to illuminate under C/S entry door (1)Under compt E angled to illuminate under the compt (2)Under ea rear corner to illuminate under rear compartments B2 and D | |
| | All 6 - ignition hot, to activate with park brake set | |
| | MODULE OVERHEAD HEADLINER: | |
| JK-10-5500 | Headliner, Flat, Expanded PVC, Std | 1 1 |
| JP-10-0610 | 12VDC INTERIOR LIGHTING: Lights, Dome, LED, Whelen #80C0EHCR, (4) S/S, (3) C/S, ILOS | 1 |
| JP-10-0620 | Light, Dome, LED, Whelen #80C0EHCR, IATS Mounted head of CS lights position 9 switched with standard dome lights | 1 1 |
| JP-10-7015 JP-10-8020 | Light, Stepwell, LED, Whelen #TOCACCCR, 2in, ILOS Light, Kinequip #621224W, LED, In A/A ILOS | 1 |
| JP-16-1106 | 12VDC INTERIOR LIGHTING - FLUORESCENT: Lights, Fluor,Liteco #17918265,18IN,(3),W/Sw, Std Model Only - Recessed, 18" - Mount in liner positions F, G, and H - With switch in Action Area | 1 |
| 1 | | |

| | WO#: | Page 11 |
|------------|---|---------|
| PART NO | DESCRIPTION LIGHTS & MISCELLANEOUS: | QTY |
| JR-50-2880 | Lighting, Compt, LED Hi-Brite Flex, ILOS both vertical edges near door jambs, compts "A", "B1", "B2", "D", "E", & "F". Retain 2" O2 light. | 1 |
| JR-50-SR01 | Spotlight, Collins Dynamics CL-12M, Installed, ILOS (SO-SPOT-331034) Ref (SO-LT-311072) SR#213254R-1 With momentary spot/flood rocker switch, rubber lens guard | 1 |
| | Ship Mounting basket loose. | |
| JR-60-2003 | Timer, Momentary Sw,15 Minute, Constant Hot, Std Model only Mount switch on C/S wall at the head of the squad bench. Switch to allow activation & also deactivation. Wire to fluorescent lights in liner. | 1 |
| JR-70-0005 | Light, in Circuit Board Area, for Electrical Troubleshooting - with integral switch; wired constant hot. | 1 |
| | CLOCKS: | 4 |
| L0-10-1000 | Clock, 4in , Battery Powered - Action Area, standard location | 1 |
| LF-10-SR00 | INTERCOMS: Firecom 5100D Intercom System for Single Radio Interface (SO-FC-331034) SR#213254R-1 BOM per Elec Eng see SR | 1 1 |
| | 5100D Intercom unit to mount in lower panel of cab console power from ignition hot Buss Bar in cab console Allow space for two-way radio speaker to be installed by radio installer | |
| | (1) HM-10 to mount in cab ceiling, toward rear, off center toward driver's side | |
| | (1) HM-10 to mount in cab ceiling, toward rear, off center toward passenger's side | |
| | (3) Hanger hooks (#520-0676-000) | |
| | (2) Dual Muff Headsets, FH-51 transmit | |
| | 6C flat cable (#108-0102-00) Intercom interface cable in cab ceiling | |
| | Outside vendor to install radios and interface with Firecom system installed by W/C | |
| LF-10-SR00 | Cable, Interface, Firecom, for XTL5000 Motorola Remote (SO-COM1-331034) SR #213254R-1 | 1 |
| | Connect to Firecom 5100D in CC FireCom #110-5136-30 | |
| | terminate in CC | |
| | SUCTION PUMPS: | 4 |
| LP-10-2000 | Suction Pump, Upgrade | 1 |
| | Mount in bulk head cabinet | |
| 11140 2000 | INSULATION: | 1 |
| LU-10-3000 | Insulation, Severe Weather Package - one inch block foam in modular floor, walls and roof covered with reflective insulation. | 1 |
| | | |

| | F | Page 12 |
|--------------------------|--|-------------|
| PART NO | DESCRIPTION | QTY |
| N0-10-9101 | GRABRAIL(S)/GRABHANDLES: Grabrail,Overhead,117",Handicap Style,Yellow,Std Model Only - Yellow Powder Coat Finish | 1 1 |
| N0-10-9703 | Handrails,(3),Custom "L" Shape,1",Yellow,Entry Drs,Std Model - Yellow Powder Coat Finish Stainless Steel Grab Handles | 1 |
| NA-10-2500 | O2 CYLINDER RACKS: Rack, Cylinder, Ziamatic, "M", QRM-2 | 1 1 |
| NF-50-1001 | O2 SYSTEMS COMPLETE: O2 Sys,LF,(2)O2/(1)Vac Port A/A,(1)O2 C/S, Std Model only - Ohio style | 1 1 |
| | - (2) oxygen outlets in action area - (1) vacuum port in action area - (1) oxygen outlet curbside wall at head of squad bench | |
| | O2 SYSTEM PARTS: | 1 |
| P0-59-7500 | Regulator, Oxygen Cylinder, Preset 50PSI, Installed SUCTION CONTAINERS: | 1 |
| PA-10-7001 | Regulator/Holder, SSCOR 22000, Std Model only COT MOUNTS: | 1 1 |
| PF-20-001S | Stryker Power Load Cot System ILOS SR # 215206F | 1 |
| | Stryker #6390 Power-LOAD system. System includes:DVD In-Service Video. | |
| | Includes safety hook. | |
| | **ENG & INSTALLATION - note that exact location may vary slightly to left customer to approve exact location before floor cutout and install | |
| PF-35-4200 | Cot Mount, Stryker, Mods, Rear Safety Hook Installed IV HOOKS: | 1 1 |
| PP-20-1000 | IV Hook, Perko, (1), W/Straps, STD - curbside and streetside standard locations | 2 |
| PU-10-1000 PU-10-2000 | KICK PLATES STAINLESS STEEL, ON CABINETS: Kickplate, Brushed S/S, Face Of Squad Bench Kickplate, Brushed S/S, On Face of Basewall | 1 1 1 |
| | MISC. INSTALLED HARDWARE/EQUIPMENT: | |
| R5-10-8000 | Wrench, Oxygen, Tethered, Mods - in oxygen compartment. | 1 1 |
| R5-10-SR01 | Bracket for Lifepak 12, Ferno #M200 (SO-M200-331034) Ref (SO-M200-299031) SR#213254R-1 | 1 |
| | Extended action area See ref picture on the server for mounting location DSC04140.JPG. | |
| R5-11-2010 | Net, Squad Saver, at Head of Squad Bench, 2" Straps, Black | 1 |
| | attached to floor at head of squad bench, CS wall and overhead liner with removable latches. | |
| R5-11-SR01 | Bracket, Zico, SCBA, Angled, for Scott 4500 PSI Cylinder (SO-BRACK-311072) SR# 214894F | 2 |
| | (1) Zico Model SC-50-H-5-SF bracket with Zico Model CRS strap on Zico Model ABS angle bracket in compartment D on wall #1. Height approximately 6" above floor. Make certain the SCBA is | |

| | WO#: | Page 13 |
|------------|--|---------|
| PART NO | DESCRIPTION angled toward the outside of the compartment. | QTY |
| | (1) Zico Model SC-50-H-5-SF bracket with Zico Model CRS strap on Zico Model ABS angle bracket in compartment D on wall #3. Height approximately 6" above floor. Make certain the SCBA is angled toward the outside of the compartment. | |
| RA-10-3200 | Dri Deck, Gray, Per Compt, Floor and Shelf All compt's floor's and shelves | 6 |
| RF-11-5000 | HOLDER, CYLINDER: Holder, Cylinder, Single Floor, Ferno #521, Installed | 1 1 |
| | One, mounted on left side of RF cabt exterior wall, make sure we don't block the bulkhead door, below the pass through. | |
| RK-13-3500 | INSTALLED STRAPS: Seat Belt, Across Compt Opening | 1 |
| | For compt F stair chair storage | |
| | REFLECTORS: | 1 |
| RP-10-1000 | Reflector, 3 In, Red, Screw-On, (1) Install on all ext compts & entry doors, lower outboard corner | 9 |
| RU-05-0000 | MODULE INTERIOR Interior Cabinets - Duralite Construction, Wood | 1 |
| RU-10-3010 | MICA COLOR: Mica, Gray Pampas #4168-01, High Gloss | 1 1 |
| | | ' |
| RZ-99-0300 | SUB FLOORING: Floor, Interior, Non Wood, Type 1, ILOS | 1 |
| T0-11-8000 | FLOORING: Flooring, Lonplate Grey #161, ILOS | 1 1 |
| T5-10-5111 | SEAMLESS ATTENDANT SEATS: Seat, Attendant, EVS, Child,Gunmetal #1880CB, Std Model only - Vacuum formed EVS1880CB w/ 3 point seatbelt Integrated child safety seat - Mounted metal box base, opening to face CS door | 1 1 |
| T5-11-4505 | Door, Diamond Plate, EVS Seat Base, w/Louvers | 1 |
| T5-25-0500 | SEAMLESS UPHOLSTERY: Uph, Smless, Gunmetal,No Bio,No Post & Wheel | 1 |
| TK-10-5010 | O2 DOOR: Lexan Flaps, Hinged Left Side, Fixed Right Side, Std | 1 |
| TN-20-1001 | GLOVE HOLDERS: Cabinet, Glove Box Holder,(3),Above C/S door, Std Model only | 1 |
| TU-17-1560 | RIGHT FRONT CABINET: Cabinet, Right Front, 2001 Pureair, Modified VA Style, 72" H | 1 |
| | E1 and E2 with inside/outside access. | |
| | | |

| | WO#: F | Page 14 |
|--------------------------|--|---------|
| PART NO | DESCRIPTION RF CABINET DOORS W/2001 PUREAIR A/C | QTY |
| TU-21-7360 | Doors, Modified VA Style, E1 & E2, 2001, Clear Lexan E1 & E2 | 1 1 |
| | E-1 double doors with clear Lexan inserts. E-2 single door hinged on right with clear Lexan inserts. | |
| V0-10 - 0500 | HARDWARE,LATCHES AND LOCKS: Handle, C, Pull, Installed,(1) Ea,STD RF cabt(s) | 1 3 |
| V0-10-2000 | Latch, Plunger Roller, Installed RF cabt(s) | 5 |
| V0-11-6200 V0-13-9001 | Latch,Lever,No Key,For EVS Door only Latch, Lever, No Key, Installed, STD, 2001 Style RF Cabt One (1) RF Cabinet Door E-1 Leading Door One (1) RF Cabinet Door E-2 Door | 1 2 |
| | SQUAD BENCH: | 1 |
| V5-20-2600 | Squad Bench, Cutout For(1)"D" Cyl, No Biowaste Eng note Ref Rev 04 unit # 311071 KENDALL SHARPS-A-GATOR SHARPS CONTAINER RED 1 GALLON 4.8in H x 7.25inD x 8.5inW 32/CS | 1 |
| V5-60-1901 | LID 149/153 INCH BOX: Lid, Squad Bench, Single W/Bio-Waste, 153", Std Model only Eng note Ref Rev 04 unit # 311071 KENDALL SHARPS-A-GATOR SHARPS CONTAINER RED 1 GALLON 4.8in H x 7.25inD x 8.5inW 32/CS | 1 1 |
| | HARDWARE: | 1 |
| V5-80-1005 V5-82-2500 | Handle, Trimark, Squad Bench, STD Strut, Gas, 60 LB, Installed, ILOS, Mods | 1 1 |
| VA-40-0550 | CURBSIDE SPLINT CABINET 149/153 INCH BOX: Curbside Splint Cabt, None | 1 1 |
| VF-20-3110 | CURBSIDE REAR CABINET: Cabinet, Curbside Rear, Standard, 153 In, 72" HR | 1 1 |
| VH-H0-0400 | CABINET H, BASEWALL 149/153", T1 & T3 H, Cabinet, Deleted CABINET I, BASEWALL 149/153", T1 & T3 | 1 1 |
| VH-I0-0400 | I, Cabinet, Deleted | 1 1 |
| VH-M0-0200 | M, Cabinet, full height | 1 |
| VH-N0-0100 | CABINET N, BASEWALL 149/153", T1 & T3 N, Cabinet, deleted, std | 1 1 |
| VH-00-0100 | CABINET O, BASEWALL 149/153", T1 & T3 O, Cabinet, full height, std | 1 1 |
| VH-P0-0200 | CABINET P, BASEWALL 149/153", T1 & T3 P, Cabinet, full height CPR side seat, deleted | 1 1 |
| VH-Q0-0500 | CABINET CPR, BASEWALL, 149"-170", T1 & T3 CPR, side seat, deleted, 72" H.R. | 1 1 |
| | DELETED | |
| VI-J0-0300 | CABINET J, STREETSIDE UPPER 149/153", T1 & T3 J, Cabinet, 72" H.R. | 1 |
| | CABINET K, STREETSIDE UPPER 149/153", T1 & T3 | 1 1 |
| VI-K0-0200 VI-K2-0200 | K, Cabinet, 72" H.R. K2, Cabinet, std, no CPR seat, 72" H.R. | 1 |

| PART NO VI-L0-0351 | DESCRIPTION | QTY |
|--------------------------|---|-----|
| VI-LU-U351 | | |
| 1 | L, Cabinet, L1, L2 Combine into 1 Large Cab, 72" H.R, Full F BASEWALL DOORS: | 1 1 |
| VK-16-0000 | Cab M, Clear Lexan Slider | 1 |
| VK-16-4000 | Cab O, Clear Lexan Slider | 1 |
| VK-16-6000 VK-17-6200 | Cab P, Clear Lexan Slider Restocking Feature, (1) cabinet, (2) Gas Strut, 20lbs,ILOS | 1 |
| VK-17-0200 | | 4 |
| | With 2 Perko elbow latches for closure. | |
| | installed on the following cabinets: J-K-K2-L | |
| VP-10-1002 | ACTION AREA 149/153 INCH BOX: Cab,A/A,W/O Biowaste, Rounded Corner, Type 1 | 1 1 |
| | ACTION ADEA WORK SUDEACE | ١. |
| VP-10-5928 | ACTION AREA WORK SURFACE A/A Tray, 153"-170", W/O Bio, Poured, Gray, Extended A/A Same as 311071 Prod see LP-12 bracket | 1 1 |
| VU-12-5000 | Security Tab Holes In Lexan | 1 |
| VU-14-4000 | Shelf, Interior, Adj, in Cabinet: (1)In Cabinets "J", "K1", "K2", "L1", "M", "O", "P" | 7 |
| N/13 4 4 4004 | Chalf Track Oak #1004000 Harris Old Market and | 1 |
| VU-14-4001 | Shelf Track, Cabt, #HA24663, Upgrade, Std Model only ("C" channel/exterior shelf style track) | 7 |
| VU-15-1000 | Cab "J" Clear Lexan Slider | 1 |
| VU-15-3000 | Cab "K" Clear Lexan Slider | i |
| VU-15-5000 VU-15-7100 | Cab "K2" Clear Lexan Slider Cab "L1,L2,L3" Combined, Clear Lexan Slider | 1 1 |
| 00-13-7100 | SHIP LOOSE ITEMS: | 1 1 |
| YY-00-0001 | Bracket, Spare Tire Mounting, Ship Loose | 1 |
| YY-10-5000 | Holder, Cylinder, Single 02, FW #521, Ship Loose | 1 |
| | 1 ship loose, 1 mounted on side of RF cabinet | |
| YY-10-6400 | Ship Loose, W.C. Standard Items | 1 |
| | - Includes (1) five pound ABC fire ext in addition to standard | |
| | ship loose ext | |
| YY-12-1000 | Fire Extinguisher. (1) 5Lb. Abc, Ship Loose, IATS | 1 |
| YY-13-3000 | Spare Tire, OEM only, Ship Loose | 1 |
| | | |
| YY-15-3000 | DECAL PACKAGES LOOSE: Decal, Dot Package, White Border, Ship Loose | 1 |
| 11-13-3000 | Decar, Dot Fackage, White Border, Ship Loose | 1 |
| | WARRANTIES | , |
| ZZ-10-0100 | Warranty, Conversion, 12 Month/12K Miles, Std. | 1 |
| ZZ-10-0300 | Warranty, Structural, 15 Years, Std., Mods | 1 |
| ZZ-10-1800 ZZ-10-2000 | Warranty, Lifetime, Mod Electrical Warranty, Limited Lifetime, Mod Paint | 1 |
| <u></u> U=2000 | vvarranty, Ennico Encume, Mou Fami | 1 |
| | EMS SLIDDI IES SUID I OOSE | |
| ZZ-25-0610 | EMS SUPPLIES SHIP LOOSE FLOWMETER, 0-15LPM,W/OHIO ADAP | 3 |
| ZZ-26-0000 | Stryker #6506 Power-PRO XT Cot | 1 1 |
| | Stryker #6506 Power-PRO XT Cot, standard features plus | |
| | #6506-127-000 Power-LOAD cot compatibility, #6506-040-000 XPS side rail, #6500-310-000 2-Stage IV pole | |
| | | |

| PART NO | patient right, #6500-240-000 Foot end oxygen bottle holder, #6500-128-000 Head end storage flat, #6500-034- 000 SMRT charger mounting bracket 1, #6500-147-000 Equipment hook | QTY |
|--------------------------|---|-----|
| ZZ-26-0005 ZZ-ZZ-0200 | EMS SR End Of Order | 1 1 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| · | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Wheeled Coach Industries

Bill McCorkle, DSM

Price Detail - OFD Type 1 Dodge 4500 FSA Proposal 01.10.15

| Sheriffs Association 15-11-0116 Base Price: Specification 1 Type 1 Dodge 4500 | \$134,342.00 |
|--|--------------|
| Liquid Spring hydraulic suspension | \$2,010.00 |
| Cab Seats Re-upholstered, Gunmetal Gray Vinyl | \$1,250.00 |
| Tire Air Pressure Monitor, Accu-Pressure Pro Wireless 6-Wheel | \$717.00 |
| HVAC Upgrade - CoolBar External Condensor | \$1,250.00 |
| Severe Duty Weather Package Insulation | \$1,000.00 |
| Exterior Compartment equipment | \$420.00 |
| SCBA brackets reinforcement | \$295.00 |
| Paint - Two Tone Red/Black OFD Design | \$3,800.00 |
| Graphics and Lettering | \$3,100.00 |
| Newmar StartGuard DC Power Conditioner | \$515.00 |
| Additional Coax Cable | \$108.00 |
| Additional 120v/12v outlets | \$276.00 |
| Vanner 20-1000 Inverter/Charger | \$1,185.00 |
| Buell Air Horns (includes compressor) | \$1,695.00 |
| Camera, (2), Backup, Safety Vision, w/Color LCD Monitor | \$1,965.00 |
| Emergency warning light LED upgrades | \$3,950.00 |
| Light, PFP2 Dual panel LED Floodlight, IATS | \$2,350.00 |
| Dome Lights, Whelen LED ILOS | \$880.00 |
| Compartment Lights, Rope LED ILOS | \$995.00 |
| Ground Light Package | \$1,085.00 |
| Interior Cabinets, Additional | \$620.00 |
| Stainless Steel Kickplates on Basewall and Squad Bench Face | \$260.00 |
| EMS Equipment & Ship Loose | \$272.00 |
| 3M Opti-Com, Whelen #792H (1520) | \$1,710.00 |
| Firecom 3010 Intercom System for Single Radio Interface | \$2,600.00 |
| Bracket for Lifepak 12, Ferno #M200 | \$540.00 |
| Retractable Entry Step, Electric, Kwikee Products | \$730.00 |
| Net, Squad Saver, Head of Squad Bench | \$595.00 |
| Indicator, Vanner Charger, Remote, #LSCR, LED | \$115.00 |
| Electric door lock, compartment and entry doors, OEM circuit, stealth and mod switch | \$1,640.00 |
| Exterior Keypad, Electric Door lock by rear doors | \$755.00 |
| Cot Hardware, Power-LOAD, Stryker 6390 | \$25,995.00 |
| Cot, Stryker, Power-PRO XT 6506 | \$16,150.00 |
| Decon Port, AeroClave DP | \$1,750.00 |
| Discount, Local/Florida Sales | -\$5,925.00 |
| Proposal Total | \$210,995.00 |
| | |